

25-th Balkan Mathematical Olympiad

Ohrid, FYR Macedonia – May 6, 2008

1. An acute-angled scalene triangle ABC with $AC > BC$ is given. Let O be its circumcenter, H its orthocenter, and F the foot of the altitude from C . Let P be the point (other than A) on the line AB such that $AF = PF$, and M be the midpoint of AC . We denote the intersection of PH and BC by X , the intersection of OM and FX by Y , and the intersection of OF and AC by Z . Prove that the points F, M, Y and Z are concyclic.
2. Does there exist a sequence a_1, a_2, \dots of positive numbers satisfying both of the following conditions:
 - (i) $\sum_{i=1}^n a_i \leq n^2$ for every positive integer n ;
 - (ii) $\sum_{i=1}^n \frac{1}{a_i} \leq 2008$ for every positive integer n ?
3. Let n be a positive integer. The rectangle $ABCD$ with side lengths $90n + 1$ and $90n + 5$ is partitioned into unit squares with sides parallel to the sides of $ABCD$. Let S be the set of all points which are vertices of these unit squares. Prove that the number of lines which pass through at least two points from S is divisible by 4.
4. Let c be a positive integer. The sequence a_1, a_2, \dots is defined by $a_1 = c$ and $a_{n+1} = a_n^2 + a_n + c^3$ for every positive integer n . Find all values of c for which there exist some integers $k \geq 1$ and $m \geq 2$ such that $a_k^2 + c^3$ is the m -th power of some positive integer.

Time allowed: 4.5 hours.
Each problem is worth 10 points.